#### 🗸 Non-Corrosive 🟒 Non-Toxic 🟒 Non-Reactive ✔ No Chlorine ✔ No Residue

DIRECTIONS FOR USE: Test fabric for colorfastness. For trace (non-visible) amounts of suspected narcotics, apply SoRite DECON directly to non-porous surfaces to be treated with mechanical spray device, hand pump or coarse trigger spray device spraying 6-8 inches from the surface. Treated surfaces must remain visibly wet for at least 60 seconds. Wipe dry with a clean cloth or allow to air dry. Do not spray visible powder directly with any forced spray device, as narcotic powder may become airborne. To decontaminate small amounts of visible powder (up to the size of a pencil eraser), it is advisable to wear nitrile gloves. N-95 mask, and eye protection: (1) carefully place a Sorite DECON towelette or a clean cloth soaked in Sorite DECON over the powder and press down gently (2) spray sufficient Sorite DECON onto and through the towelette or cloth to completely saturate the powder (at least four ounces of Sorite DECON for a pencil eraser size of powder) and let sit for at least 60 seconds, then (3) wipe up the powder and Sorite DECON with the towelette and dispose of the towelette and glove in a sealed bag or container. Call trained narcotics remediator if more than a pencil eraser amount is encountered. AS AN ODOR ELIMINATOR: This product works by oxidation, not by masking of odors. First, remove as much of the stain as possible. Then simply spray, fog, or wipe at full strength and let air dry. When fogging to deodorize apply 1 gallon per 5000 square feet following fogger manufacturer's directions for use. ON SURFACES: 1. Apply a liberal amount of SoRite® DECON at full strength. 2. Keep wet for 10 minutes. 3. Blot with a clean towel and allow to air dry. ON CARPET/UPHOLSTERY: 1. Use enough product to penetrate the carpet/upholstery and underlying carpet pad/cushion. 2. Allow to stand 10 minutes. 3. Place a towel over the treated area with a weighted object on top to wick residual liquid out of the carpet pad or cushion. This product must come into contact with the cause of the odor to be effective. AS A DEGREASER: Spray SoRite DECON directly on surface. Wait one to two minutes. For heavy soil wait up to 10 minutes. Scrub with a wire or bristle brush, wipe or rinse. AS A MULTI-PURPOSE CLEANER: Prepare a use solution of 1 part product to 20 parts water for cleaning applications. 2. Prepare at full strength for visibly soiled cleaner applications. 3. Prepare a use solution of 1 part product to 10 parts water for cleaning visibly soiled carpets with a carpet extractor. 4. Prepare a use solution of 1 part product to 20 parts water for general carpet cleaning with a carpet extractor. 5. Ensure treated surface is thoroughly wet. 6. Treated surfaces must remain visibly wet for 60 seconds. 7. Wipe dry with a clean cloth or allow to air dry. 8. Food contact surfaces must be rinsed with a clean potable water. 9. To clean nonporous surfaces spray soiled area, then wipe clean, -or- for spot cleaning, spray and wipe clean with damp sponge -or- mop or cloth. 10. To spot clean carpet: spray at full strength on soiled area until wet. Gently blot area with a clean, damp, color safe cloth. Repeat as needed (for stubborn stains). Let air dry. 11. To use as a pre-spray (pre-cleaner) on carpet, spray at full strength evenly coating the soiled area (until wet). Test fabric for color fastness. Contains a dilute oxidizing agent. (Always refer to manufacturer's care instructions before using equipment or devices).

**STORAGE AND DISPOSAL:** Do not contaminate water, food, or feed by storage and disposal. Store in original closed container in a cool, dry place away from heat and open flame. Avoid prolonged storage temperature above 53°C, 128°F and below 0°C, 32°F. This may cause increased degradation of product, which will decrease product effectiveness. **DISPOSAL:** Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility. Discard excess or used (product) solution in drain with running water. **CONTAINER HANDLING:** Non-Refillable Container. Do not reuse or refill this container. Triple rinse container promptly after emptying. Triple rinse as follows: Fill the container ¼ full with water and recap. Shake for 10 seconds. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration.

DISCLAIMER: WHILE SORITE DECON IS INTENDED TO REDUCE THE THREAT OF ACCIDENTAL EXPOSURE TO FENTANYL AND OTHER NARCOTICS, HANDLING AND DECONTAMINTAION OF FENTANYL AND OTHER NARCOTICS IS INHERENTLY DANGEROUS. ASEPTIC HEALTH AND ITS DISTRIBUTORS DISCLAIM ANY AND ALL LIABILITY FOR ANY INJURIES OR DAMAGES INCURRED BY YOU FROM THE INHERENT DANGERS OF EXPOSURE TO FENTANYL OR OTHER NARCOTICS WHILE USING THE SORITE DECON PRODUCT.

Manufactured for Aseptic Health, LLC ©All Rights Reserved 1109 Woodland Street #68223, Nashville, TN 37206 U.S. Customer Service:(888) 379-3232 | aseptichealth.com NOTICE: Seller expressly warrants that this PRODUCT performs as described. There are no other warranties associated with the sale of this PRODUCT.



(4

**READY-TO-USE** 

## PROFESSIONAL GRADE DECONTAMINANT FOR FORCED DEGRADATION OF NARCOTICS

Plus Heavy-Duty Odor Eliminator • Degreaser • Multi-Purpose Cleaner

#### POTENT OXIDIZING AGENT, DESTROYS ORGANIC COMPOUNDS

**NEW BIOSECURITY TECHNOLOGY** PATENT #11,944,097 Additional Patents Pending Scan QR Code to Watch Instructional Videos



KEEP OUT OF REACH OF CHILDREN Net Contents: 128 FL OZ (1 Gal.) 3.8L

#### DECONTAMINANT • HEAVY-DUTY ODOR ELIMINATOR DEGREASER • MULTI-PURPOSE CLEANER

# For Forced Degradation of Narcotics Including Fentanyl, Xylazine & Heroin Through Oxidation

Only SoRite® DECON uses Sodium Chlorite to rapidly oxidize susceptible carbon groups in narcotics like fentanyl, heroin and xylazine, rendering the drugs harmless. The destruction of the drugs can be verified by chemical analysis.

### **READY-TO-USE, FRAGRANCE-FREE, SAFE SOLUTION** FOR EMERGENCY RESPONDERS AND OTHERS WHO MAY ENCOUNTER ILLICIT DRUG PRODUCTION & USE.

This material is considered hazardous by the OSHA Hazard Communication Standard 2012 (29 CFR 1910. 1200) WARNING: Eye Irritation Category 2B. (No pictogram required.) H320 Causes Eye Irritation Prevention: P264+P265: Wash hands thoroughly after handling. Do not touch eyes. Response: P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do continue rinsing. P337+P317: If eye irritation persists: Get medical help.

Wear appropriate protective eyewear. IF IN EYE5: Rinse eyes with clean, cool water for a full 15 minutes. IF CONSUMED: Do not induce vomiting Drink a glass of water. Refer to SDS for further details. www.SoRiteDECON.com





#8PV71



 $( \bullet )$ 

9/6/24 10:45 AM